

MEDICLEAN MG 130
High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

SECTION 1: Identification of the mixture and of the company/undertaking

1.1 Product identifier: MEDICLEAN MG 130 High alkaline concentrate for basic cleaning

1.2 Relevant identified uses of the mixture and uses advised against:

Recommended use: For thorough cleaning of floors in both machine and hand with a mop.
Uses advised against: not specified

1.3 Details of the supplier of the safety data sheet:

Manufacturer: Medi-Sept Sp. z o.o.
Konopnica 159C, 21-030 Motycz
tel. (+81) 503 23 77
www.medisep.pl

E-mail address of the person responsible for safety data sheet: grzegorz.gromadzki@medi-sept.com.pl

E-mail address of the person responsible for translation: aleksandra.majewska@medi-sept.com.pl

1.4 Emergency telephone number: +48 81 535 22 22 in hours: 8.00 – 16.00
International emergency number: 112

SECTION 2: Hazards identification

2.1 Classification of the substance/mixture

C; R34

Risk to human health

Causes burns.

Risk to environment

The mixture does not contain ingredients harmful to the environment.

Physical/chemical

No.

2.2 Label elements:

Hazard symbols and warning signs:



C – corrosive

Hazard statements:

R34 – Causes burns.

Phrases for conditions for safe use:

S 1/2 – Keep out of the reach of children

S26 – In case of contact with eyes, rinse immediately with plenty of water and seek medical advice

S36/37/39 - nosić odpowiednią odzież ochronną, odpowiednie rękawice ochronne i okulary lub ochronę twarzy

S45 – If swallowed, seek medical advice immediately and show this container or label.

It contains: potassium hydroxide, sodium metasilicate.

According to regulation. 648/2004

Contains:

<5% nonionic surfactants

<5% amphoteric surfactants

<5% phosphates

MEDICLEAN MG 130
High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

Surfactants meet the requirements of biodegradability according to Regulation 648/2004.
 Ingredient data sheet available at: www.medisept.pl

2.3 Other hazards:

No additional hazards

No information about substances specified in PBT or vPvB according to 1907/2006/EG annex XIII.






Appropriate studies have not been conducted.

SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable

3.2 Mixture:

Hazardous ingredients:

Product identifier	Content %	Classification acc. to 67/548/EWG	Klasyfikacja CLP	
			Hazard class and category codes	Hazard statements
Monobutyl ether of ethylene di glycol CAS: 112-34-5 WE: 203-961-6 Index number: 603-096-00-8 <u>REACH number:</u> 01-2119475104-44-XXXX	2 - 4	 Xi; R36	Eye Irrit.2	H319
Eta sodium sulfate CAS: 126-92-1 WE: 204-812-8 Index number: - <u>REACH number:</u> the substance is subject to the transitional period	2 - 4	 Xi; R38, R41	Skin Irrit.2 Eye Dam.1	H315 H318
Pyrophosphate 4-potassium CAS: 7320-43-5 WE: 230-785-7 Index number: - <u>REACH number:</u> 01-2119489369-18-XXXX	2 - 3	 Xi; R36	Eye Irrit.2	H319
Potassium hydroxide CAS: 1310-58-3 WE: 215-181-3 Index number: 019-002-00-8 <u>REACH number:</u> 01-2119487136-33-XXXX	1,8 – 2,5	 C; R35	Skin Corr. 1A	H314
Sodium salt of N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate CAS: 94441-92-6 <u>WE:</u> 305-318-6 Index number: - <u>REACH number:</u> the substance is subject to the transitional period	1 - 3	 Xi; R38, R41	Skin Irrit.2 Eye Dam.1	H315 H318




MEDICLEAN MG 130
High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

<p>Metasilicate CAS: 10213-79-3 WE: 229-912-9 Index number: - REACH number: 01-2119449811-37-XXXX</p>	<p align="center">1,5 - 2,5</p>	<p align="center">  C; R34  Xi; R37 </p>	<p>Skin Corr. 1B STOT SE 3</p>	<p>H314 H335</p>
<p>A mixture of ethoxylated fatty alcohols CAS: 68439-45-2 WE: - Nr indeksowy: - Nr REACH: the substance is subject to the transitional period</p>	<p align="center">1 - 2</p>	<p align="center">  Xi; R41 </p>	<p>Eye Dam.1</p>	<p>H318</p>

The full texts of the mentioned R-phrases and hazard statements (H) are listed in chapter 16.

SECTION 4: First Aid Measures

4.1 Description of first aid measures

Skin contact:

Wash affected areas with soap and water and rinse well. Immediately take off all contaminated clothing. If skin irritation persists, contact doctor.

Eye contact:

Rinse immediately with plenty of water, also under eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing with running water. If symptoms persists, call a doctor.

Inhalation:

In case of dizziness and nausea move to fresh air. If symptoms persists, obtain medical advice.

Ingestion:

Do not induce vomiting, rinse mouth. Immediately contact a doctor.

4.2 Most important symptoms and effects, both acute and delayed:

The respiratory system. Inhalation of concentrated vapors may cause irritation of the mucous membranes of the nose, throat and downstream sections of the respiratory system, cough, shortness of breath, trouble breathing.

The digestive tract: May cause irritation of the mucous membranes of the gastrointestinal tract, abdominal pain, stomach cramps, nausea, vomiting, diarrhea, malaise, headache and dizziness – symptoms of food poisoning.

Eye contact: Cause irritations.

Contact with skin: May cause irritation due to frequent contact.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically by a doctor.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing media: alcohol-resistant foam or dry chemicals (A,B,C), carbon dioxide (fire extinguisher).

Use fire extinguishing methods suitable to surrounding conditions.

Not suitable: Heavy jet of water.

5.2 Special hazards arising from substance or mixture:

During a fire, under the action of high temperature release of toxic degradation products containing min. oxides of carbon.

5.3 Advice for firefighters:

Cool containers with spray water. If possible remove from the danger zone. As in any fire, wear self-contained breathing apparatus and full protective gear. Prevent fire-fighting water from entering surface water, ground water and sanitation.

SECTION 6: Accidental release measures

MEDICLEAN MG 130
High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: the failure to notify the competent authorities. Remove from the danger zone people not involved in the liquidation of failure.

For emergency personnel: Ensure adequate ventilation. Use personal protective equipment. Do not breath vapors.

6.2 Environmental precautions:

Do not allow to enter sewerage or water bodies. Inform local authorities in case of inability to provide protection.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Contaminated material placed in properly labeled containers according to applicable provisions. .

6.4 Reference to other sections

Product waste – see section 13

Personal protection – see section 8

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Use in well-ventilated area. Avoid prolonged or repeated contact with skin. Avoid spilling or splashing. Do not breath vapours. Keep away from sources of ignition, high temperature, hot surfaces and open fire. Work in accordance with safety instructions and hygiene: Do not eat, drink and smoke in work areas, wash hands after use, remove contaminated clothing and protective equipment before entering eating areas. For all specific recommendations given carry out risk assessment at the workplace in order to help determine controls appropriate to local circumstances.

7.2 Conditions for safe storage, including any incompatibilities.

Store in a cool (recommended temperature from 5°C to 30°C), dry, well-ventilated properly labeled and tightly closed original container.

Keep away from strong acid.

7.3 Specific end uses:

For thorough cleaning of floors in both machine and hand with a mop.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Exposure standards for occupational hazards in accordance with the Regulation of the Minister of Labour and Social Policy on the maximum permissible concentrations and intensities of harmful factors in the work environment dated 29 November 2002 (Journal of Laws No. 217, item 1833 as later amended)

Exposure limits:

Substance	NDS	NDSCh	NDSP
	mg/m3		
Potassium hydroxide	0,5	1	-
Diethylene glycol monobutyl ether	67	100	-

8.2 Exposure controls:

Appropriate technical controls: recommened well-ventilated areas.

Indywidual protective means such as gloves, glasses.

MEDICLEAN MG 130
High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.



Eye and face protection:

Wear framed glasses or face mask (acc. EN 166)

Skin protection:

Hand protection:

Wear protective nitrile, natural rubber or PCV gloves according with EN-PN 374:2005.

Gloves material:

Choice of suitable gloves do not depend only on material but brand and quality. Material resistance can be defined after testing. Exact destruction time must be declared by manufacturer.

Other:

Wear appropriate protective workwear acc. EN 344 – wash regularly.

Air passages protection:

Do not breath vaporous

Thermal hazards:

Not applicable.

Control of environmental exposure:

Do not allow to spread in the environment and enter drains or watercourses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	Liquid
Colour	Red
Odour	Specific
Odour threshold	Not specified
pH	14
Melting point/range	Not specified
Boiling point/range	ca. 98 °C
Flash point	Not specified
Ignition	Not specified
Evaporation rate	Not specified
Flammability (solid,gas)	Not specified
Lower explosive limit	Not specified
Higher explosive limit	Not specified
Vapour pressure at 20 °C	Not specified
Realtive vapor density	Not specified

MEDICLEAN MG 130**High alkaline concentrate for basic floor cleaning**

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

Density at 20 °C	1,06 – 1,07 g/cm ³
Solubility in solvents	Completely soluble in water
Coefficient n-octanol/water	Not specified
Auto-ignition temperature	No
Decomposition temperature	Not specified
Viscosity	Not specified
Kinematic viscosity at 22°C	0,8 mm ² /s
Explosive properties	Not specified
Oxidizing properties	Not specified

9.2 Other information:

No additional test results.

SECTION 10: Stability and reactivity**10.1 Reactivity:**

Unknown.

10.2 Chemical stability :

The product is stable under normal conditions.

10.3 Possibility of hazardous reactons:

No

10.4 Conditions to avoid:

Avoid high temperature, direct sunlight, hot surfaces and open fire.

10.5 Incompatible materials :

Strong acid.

10.6 Hazardous decomposition products:

At high temperatures toxic products of decomposition release – oxides of carbon.

SEKCJA 11: Toxicological information**11.1 Information on toxicological effects:**

a) acute toxicity: not recognized

Diethylene glycol monobutyl ether

LD50 (rat, orally): 3384 mg/kg

LD50 (rabbit, skin):2764 mg/kg

Potassium hydroxide

LD50 (rat, oral): >273 mg/kg

Metakrzemian disodu

LC50 (szczur, doustnie): 1152-13490 mg/kg

Metasilicate

LC50 (rat, orally): 1152-13490 mg/kg

Sodium salt of N-(2-carboxyethyl)-N-(2-ethylhexyl)-β-alaninate

LD50 (rat, orally):>50000 mg/kg

A mixture of ethoxylated fatty alcohols

LD50 (rat, orally): 2000 mg/kg

Pyrophosphate 4-potassium

LD50 (rat, orally): 365 mg/kg

MEDICLEAN MG 130**High alkaline concentrate for basic floor cleaning**

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

- b) irritant effect: not recognized
- c) corrosion: not recognized
- d) allergic: not recognized
- e) repeated dose toxicity: no data
- f) carcinogenicity: does not show
- g) mutagenicity: not shown
- h) reproductive toxicity: does not show

Information on likely routes of exposure:

The respiratory system. Inhalation of concentrated vapors may cause irritation of the mucous membranes of the nose, throat and downstream sections of the respiratory system, cough, shortness of breath, trouble breathing

The digestive tract: May cause irritation of the mucous membranes of the gastrointestinal tract, abdominal pain, stomach cramps, nausea, vomiting, diarrhea, malaise, headache and dizziness – symptoms of food poisoning.

Eye contact: Cause irritation.

Contact with skin: Cause burns.

Delayed, immediate and chronic effects from short-and long-term exposure:

No data.

Interaction effect:

No data.

SECTION 12: Ecological information

Detailed studies of the environmental effects were not carried out. The mixture is not classified as dangerous for the environment, contains ingredients harmful to the environment.

Do not allow product to reach ground water, drains and watercourses.

12.1 Toxicity:

Diethylene glycol monobutyl ether

Toxicity to fish LC50 1300 mg/l/96h (Lepomis macrochirus)

Toxicity to aquatic invertebrates EC50 >100 mg/l/96h (Daphnia magna)

Potassium hydroxide

Toxicity to fish LC50: 80mg/l/96h (Gambusia Affinis)

Toxicity to fish LC50: 660 ppm (Daphnia Magna)

Toxicity to fish EC 50 337 ppm (Nitscherai Linearis)

Fatty alcohol ethoxylate

Toxicity to fish LC50:850 mg/dm³

Toxicity to daphnia LC50:9,8 mg/dm³

Toxicity to algae LC50:2340 mg/ dm³

Metasilicate:

Toxicity to fish LC50: 210mg/l/96h

Toxicity to shellfish UE50:1700 mg/l/48h (Daphnia magna)

Toxicity to algae IC5:207 mg/l/7d (Scenedesmus quadricauda)

Toxicity to algae UE5: 6500 mg/l/16h (Pseudomonas putida)

Sodium salt of N-(2-carboxyethyl)-N-

(2-ethylhexyl)-β-alaninate

Toxicity to fish LC50: >100 mg/l/96h

Toxicity to shellfish UE50:>100 mg/l

Toxicity EC 50 70 mg/l/ po 48h

Eta sodium sulfate

Toxicity to fish LC0:580 mg/l/48h

Toxicity to fish LC50:744 mg/l/48h

Toxicity to fish LC100: 954 mg/l/48h (Salmo Gairdneri, OECD 203)

MEDICLEAN MG 130

High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

12.2 Persistence and degradability:

Surfactants meet the requirements of biodegradability according to Regulation 648/2004.

12.3 Bioaccumulative ability:

No data.

12.4 Mobility in soil:

Mobile in the soil, dissolved in water and spread in an aqueous medium.

12.5 Test result of PBT and vPvB assessment:

No data.

12.6 Other adverse effects:

No data.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Remainders of product and contaminated empty containers must be disposed in accordance with local and state regulations. The rest place in original containers. Utilize in accordance with valid regulations. Empty containers should be disposed of in accordance with regulations or provide for appropriate landfill.

SECTION 14: Transport information

14.1 UN number : 1719

14.2. UN proper shipping name: corrosive, liquid, alkali

14.3 Transport hazard class: 8

14.4 Packing group: III

14.5 Environmental hazards: No.

14.6 Special precautions for user: -

14.7 Transport in bulk according to Annex II MARPOL 73/78 and the IBC Code: -

SECTION 15: Regulatory information

15.1 Laws concerning the safety, health and environment specific for the substance or mixture.

Detail information available upon request.

15.2 Chemical safety assessment:

No chemical safety assessment. .

SECTION 16: Other information

Text of R and H-Phrases:

R34 – Causes burns

R35 – Causes severe burns

R36 – Irritating to eyes.

R37 – Irritating to respiratory system

R38 – Irritating to skin.

R41 – Risk of serious damage to eyes.

H314 – Causes severe skin burns and eye damage

H315 – Irritating to the skin

H318 - Causes serious eye damage.

H319 – Irritating to eyes

H335 – may cause irritation of the respiratory tract

Abbreviation, acronyms and symbols description:

C – Corrosive

Xi – Irritant

Eye Irrit.2 – Eyes irritating cat.2

MEDICLEAN MG 130
High alkaline concentrate for basic floor cleaning

Date of issue 01.03.2013

updated: 10.07.2013

Version ANG: 1.0

Material Safety Data Sheet according to Regulation WE 1907/2006 from 18.12.2006 – REACH and 453/2010 from 20.05.2010r.

STOT SE 3 – toxic to the target organs – single exposure cat.3

Skin Corr. 1B – skin irritating cat.1B

Skin Corr. 1A – skin corrosion category 1A

Eye Dam.1 – serious eye damage cat. 1

Skin Irrit.2 – skin irritating cat.2

NDS – The highest concentration

NDSP – The highest ceiling

NDSch – The highest temporary

Training:

Before starting to work with employees health and safety training is mandatory because of the presence of chemicals in the workplace. Perform, document and familiarize employees with the results of the risk assessment in relation to the presence of chemical agents.

MATERIAL SAFETY DATA SHEET – **MEDICLEAN MG 130**

- Issuing date: 17.06.2013
- ANG version 1.0 from 23.10.2013

Sources:

PL version .

The information provided in this Safety Data Sheet concern only in the title mentioned product. The information given is designed as a guidance for safe handling, use, storage, transportation, disposal and it is not to be considered as legal warranty. In any case, you must comply with the laws and the possible rights of third parties. Sheet is not workplace risk assessment. Product cannot be used in other purpose then mentioned in section 1 without previous consultation with **Medi-Sept Sp. z o.o.**

Original Polish Version made by SPIN-DORADZTWO www.spin-doradztwo.pl for **Medi-Sept Sp. z o.o.**

Translation made by Aleksandra Majewska aleksandra.majewska@medi-sept.com.pl